DREAM
SLIDING DOOR REPAIRS

DESIGN CATALOGUE

FLYSCREEN & SECURITY DOORS

Explore the look. Choose your finish.



PERTH / DREAM SLIDING DOOR REPAIRS

0418 402 921

dreamslidingdoorrepairs.com.au

EXPLORE THE RANGE >

PRODUCT RANGE / 01

SLIDING FLYSCREEN DOORS

Insect screening | A simple, open mesh appearance



THE LOOK

Plain mesh in an aluminium frame. A midrail may be included depending on the door build.

CHOOSE THIS FOR

Fresh air and insect protection. Fibreglass or aluminium mesh; Toughmesh and Petmesh options are listed in the supplier brochure.

MATERIALS & TECHNICAL DETAILS

Frame: Extruded aluminium, with your selected powdercoat finish.
Standard fibreglass mesh: 18 x 14 strands/inch; 0.28mm yarn; approx. 63% open area.
Mesh options: Aluminium, Toughmesh and pet-resistant mesh; suitability confirmed in quote.
Bushfire: Standard fibreglass is not specified as BAL-rated screening. Bushfire sites require an approved mesh and complete door configuration.
Insect screening only; this door is not a security screen.

Map data © OpenStreetMap contributors

PRODUCT RANGE / 02

DIAMOND GRILLE

Classic diamond pattern | Visible grille with insect mesh



THE LOOK

A repeating diamond lattice gives this door its familiar traditional appearance.

CHOOSE THIS FOR

Customers wanting a visible grille design. Insect mesh sits behind the grille; mesh and locking upgrades can be quoted.

MATERIALS & TECHNICAL DETAILS

Grille: Aluminium diamond lattice; Alu-Grille option uses 7mm strands.
Frame & mesh: Extruded aluminium frame with insect mesh behind the grille.
Hardware: Single-point or upgraded three-point locking, as specified in your quote.
Bushfire: No BAL rating claimed for the standard grille/fibreglass combination.
Security performance requires the specified grille, frame, locks and compliant installation; grille strength alone does not certify the complete door.

Map data © OpenStreetMap contributors

PRODUCT RANGE / 03

VISION-GARD

Privacy screening | A darker, more enclosed appearance



THE LOOK

A perforated aluminium privacy screen with a visually denser finish.

CHOOSE THIS FOR

Customers prioritising privacy alongside security screening. The supplier lists Vision-Gard for sliding doors.

MATERIALS & TECHNICAL DETAILS

Screen: Perforated grade 5005-H34 aluminium with a black matt finish.
Aperture: Published specification: 1mm x 4mm; approx. 17% open area.
Privacy: Directional perforations reduce views inward when lighting is suitable.
Bushfire: Up to BAL-29 screening suitability is published; configuration to be confirmed.
Sheet thickness varies across published specifications and is confirmed in your quote. Privacy is lighting-dependent. Photo shows a hinged example of the screen finish.

Map data © OpenStreetMap contributors

PRODUCT RANGE / 04

ALU-GARD

Perforated aluminium | Contemporary styling



THE LOOK

A continuous perforated aluminium sheet replaces the diamond grille.

CHOOSE THIS FOR

Customers wanting a clean aluminium security screen appearance. Also listed by the supplier for sliding door applications.

MATERIALS & TECHNICAL DETAILS


Sheet: Grade 5005-H34 aluminium; 1.6mm thick (Alu-Gard 2.0 specification).
Perforations: 2.0mm holes; approx. 40% open area; black matt sheet finish.
Retention: Mechanical fixing for Alu-Gard; PVC pressure retention for Edge.
Bushfire: BAL-29 screening suitability is published for the 2.0mm-hole system.
Some manufacturer literature lists BAL-40 configurations. Confirm the exact system and supporting certification for higher BAL sites. High corrosion resistance; regular cleaning is recommended.

Map data © OpenStreetMap contributors

PRODUCT RANGE / 05

INVISI-GARD

Stainless steel security mesh | Clean, grille-free styling



THE LOOK

Fine black woven mesh with no diamond grille, shown here in white frames.

CHOOSE THIS FOR

A streamlined appearance with security screening and outward views. Uses 316 marine-grade stainless steel mesh.

MATERIALS & TECHNICAL DETAILS

Mesh: High-tensile grade 316 marine-grade stainless steel; nominal 0.8mm wire.
Mesh geometry: 1.6mm openings; approx. 44% open area; nominal wire tensile strength 900MPa.
Frame & retention: 6063-T5 architectural aluminium; EGP pressure-retention system.
Bushfire: Up to BAL-40 in the approved system; tested to AS 1530.8.1.
Grade 316 offers high corrosion resistance, including coastal conditions. BAL suitability depends on the complete specified door and installation; routine cleaning is required.

Map data © OpenStreetMap contributors

SELECTION GUIDE / 06

FRAME COLOUR SWATCHES

Jason Windows & Custom Screens | Digital colour selection guide

JASON WINDOWS | PUBLISHED STANDARD RANGE

- White Lustre
- Silver Lustre
- Pearl White
- Storm Front
- Night Sky
- Charcoal Lustre

CUSTOM SCREENS | STANDARD COLOURS

- Anotec Dark Grey
- Charcoal Lustre / Metallic Lustre
- Hammersley Brown
- Doeskin
- Magnolia
- Pearl White Gloss
- Satin Black
- Silver Lustre / Anodic Natural
- White Lustre / Snow Dust

CUSTOM SCREENS | GROUP 1 SPECIAL COLOURS

- Anodic Dark Grey Matt
- Anodic Silver Grey
- AZ Custom Black
- Charcoal Gloss
- Deep Ocean Matt
- Monument Matt
- Moonglow
- Precious Silver Pearl Kinetic
- Surfmist Matt
- White Birch

CUSTOM SCREENS | TEXTURA COLOUR RANGE

- Textura Black
- Textura Dune
- Textura Ironstone
- Textura Jasper
- Textura Monument
- Textura Paperbark
- Textura Primrose
- Textura Silver
- Textura Surfmist
- Textura White D1000
- Textura Woodland Grey

SPECIAL-ORDER COLOURS

Both suppliers offer further custom finishes. Custom Screens lists Group 2, Group 3 and specialist powdercoats without visual swatches. Availability, surcharges and colour matching are confirmed before ordering.

Digital swatches are sampled from supplier charts and are indicative only. Screens, printing, gloss and metallic texture affect appearance. Choose the final finish from a physical sample. Colours with similar names may differ between suppliers.

Map data © OpenStreetMap contributors

SELECTION GUIDE / 07

CHOOSE YOUR DOOR

Compare the appearance, then select the finish and hardware.

FLYSCREEN
Plain insect mesh - for ventilation and insect screening.

DIAMOND GRILLE
Visible diamond lattice - a traditional grille appearance.

VISION-GARD
Privacy screen - denser appearance with lighting-dependent privacy.

ALU-GARD
Perforated aluminium sheet - contemporary grille-free styling.

INVISI-GARD
Fine woven stainless steel mesh - clean, grille-free styling.

YOUR SELECTION
Door type: _____ Frame colour: _____
Mesh / privacy preference: _____
Pet door / locking preference: _____

Frame colours, door size, tracks, interlocks, locks and pet-door compatibility are confirmed during measure and quote. Compare physical colour and mesh samples where possible.

Map data © OpenStreetMap contributors